

**Radiant heating & cooling,  
plumbing and  
local heat distribution**

**Uponor**

**Product Catalogue 03-2022**  
**Tools**

# Uponor Uncoiling

## Uponor MLC pipe straightening tool

- The pipe straightener is not compatible with the Uponor uncoiler
- Fixing has to be managed on site.



Item no.	Dimension	l mm	b mm	h mm	Qty 2	Qty 1	UOM
<b>1010512</b>	14-25	230	195	77	60	1	pce

## Uponor Magna uncoiler with pipe guide



Item no.	Dimension	Qty 2	Qty 1	UOM
<b>1035807</b>		4	1	pce

## Uponor Ecoflex uncoiler type1

- Support to decoiling the pipe
- Max. load capacity of 650 kg



Item no.	Dimension	l mm	h mm	Weight kg	Qty 1	UOM
<b>1036645</b>		2400	1050	100,00	1	pce

## Uponor Wipex sleeve plier

- Expansion tool for the WIPEX coupling sleeve



Item no.	Dimension	l mm	Weight kg	Qty 2	Qty 1	UOM
<b>1046407</b>	1 - 1 ½	145	0,15	25	1	pce
<b>1046408</b>	1 ½ - 3 ½	200	0,23	25	1	pce

# Uponor Cutting & Preperation

## Uponor Multi pipe & conduit cutting tool

- Easy cutting with a speical triangle blade
- outside diameters 12-25 mm



Item no.	Dimension		Qty 2	Qty 1	UOM
<b>1089674</b>	12-25		36	1	pce
<b>1089776</b>	12-25	blade	150	1	pce

## Uponor Multi pipe cutting tool

- outside diameters 32-40 mm



Item no.	Dimension		Qty 2	Qty 1	UOM
<b>1089677</b>	32-40		12	1	pce
<b>1089779</b>	32-40	blade	50	1	pce

## Uponor Multi pipe cutting tool

- outside diameters 25-63 mm



Item no.	Dimension		Qty 2	Qty 1	UOM
<b>1089675</b>	25-63		12	1	pce
<b>1089777</b>	25-63	blade (wheel)	50	1	pce

## Uponor Multi pipe cutting tool

- outside diameters 50-125 mm



Item no.	Dimension		Qty 2	Qty 1	UOM
<b>1089676</b>	50-125		8	1	pce
<b>1089778</b>	50-125	blade (wheel)	50	1	pce

## Uponor MLC pipe cutting tool blade



Item no.	Dimension		Qty 2	Qty 1	UOM
<b>1013721</b>		blade	10	1	pce

## Uponor Flex pipe cutting tool PEX

- Pipe cutting tool for Uponor flexible pipes, outside diameters 12-25 mm.
- Blades not compatible with Uponor pipe cutter 1001369



Item no.	Dimension		Qty 2	Qty 1	UOM
<b>1089673</b>	12-25		36	1	pce

## Uponor MLC pipe cutting tool blade



Item no.	Dimension		Qty 2	Qty 1	UOM
<b>1006635</b>	25-63	blade (wheel)	1000	1	pce
<b>1014173</b>	50-110	blade (wheel)	20	1	pce

# Uponor Cutting & Preperation

## Uponor INOX pipe cutting tool

- For stainless steel pipes
- Outside diameters 15-54 mm



Item no.	Dimension		Qty 2	Qty 1	UOM
<b>1119197</b>	15-54		12	1	pce
<b>1119198</b>	15-54	blade	50	1	pce

## Uponor MLC pipe cutting + deburring tool



Item no.	Dimension		Qty 2	Qty 1	UOM
<b>1014334</b>	63-110		32	1	pce
<b>1014320</b>	63-110	blade (wheel)	100	1	pce

## Uponor MLC bevelling tool

- For bevelling the Uponor Uni Pipe PLUS and MLC pipes.
- Supplied with manual toggle. Without manual toggle to be used as attachment for self-driving screw with tapping screw thread.



Item no.	Dimension		Qty 2	Qty 1	UOM
<b>1006830</b>	16		50	1	pce
<b>1015749</b>	20		1200	1	pce
<b>1015756</b>	25		960	1	pce
<b>1015762</b>	32		900	1	pce

## Uponor MLC bevelling tool



Item no.	Dimension		Qty 2	Qty 1	UOM
<b>1006638</b>	40		600	1	pce
<b>1015808</b>	50		600	1	pce
<b>1014339</b>	63		600	1	pce
<b>1014344</b>	75		600	1	pce

## Uponor MLC bevelling tool

- For bevelling the Uponor Uni Pipe PLUS and MLC pipes.



Item no.	Dimension		Qty 2	Qty 1	UOM
<b>1015739</b>	16/20/25		60	1	pce

## Uponor MLC deburring tool universal



Item no.	Dimension		Qty 2	Qty 1	UOM
<b>1060167</b>			50	1	pce

# Uponor Cutting & Preperation

## Uponor INOX bevelling tool

- For stainless steel pipes



Item no.	Dimension	Qty 2	Qty 1	UOM
<b>1119199</b>	15-54	33	1	pce

## Uponor INOX marking tool

- For INOX stainless steel pipes



Item no.	Dimension	Qty 2	Qty 1	UOM
<b>1119200</b>	15-54	20	5	pce

## Uponor MLC bending spring inside

- bending spring for Uponor Uni Pipe PLUS and MLC pipes.



Item no.	Dimension	Qty 2	Qty 1	UOM
<b>1013729</b>	16	100	1	pce
<b>1013734</b>	20	75	1	pce
<b>1013737</b>	25	50	1	pce
<b>1013739</b>	32	40	1	pce

## Uponor MLC bending spring outside

- bending spring for Uponor Uni Pipe PLUS and MLC pipes.



Item no.	Dimension	Qty 2	Qty 1	UOM
<b>1006639*</b>	14	550	1	pce
<b>1006640</b>	16	55	1	pce
<b>1013792</b>	20	45	1	pce
<b>1013794</b>	25	45	1	pce

## Uponor Uni Pipe PLUS bending tool

- producing evenly formed bends in Uponor Uni Pipe PLUS pipes with outer diameters up to 32 mm.  
- Delivered complete in tool case with bending segments.



Item no.	Dimension	Qty 2	Qty 1	UOM
<b>1071925</b>	16-32	100	1	pce

## Uponor MLC bending tool

- producing evenly formed bends in Uponor MLC Pipe with outer diameters up to 32 mm.  
- Delivered complete in tool case with bending segments.



12.22

Item no.	Dimension	Qty 2	Qty 1	UOM
<b>1013773</b>	16-32	48	1	pce

# Uponor Pressing

## Uponor S-Press manual tool w/o inserts

- in conjunction with exchangeable inserts
- Supplied in case without exchangeable inserts



Item no.	Dimension	d mm	Qty 2	Qty 1	UOM
<b>1015764</b>	14-20	14-20	100	1	pce

## Uponor S-Press manual tool insert

- For inserting into the manual pressing tool



Item no.	Dimension	d mm	Qty 2	Qty 1	UOM
<b>1015776*</b>	14	14	400	1	pce
<b>1015777</b>	16	16	50	1	pce
<b>1015780</b>	20	20	50	1	pce

## Uponor S-Press tool UP110 without jaws

- supplied in carrying case, complete with battery and charger unit
- without pressing jaws.
- Range of application up to 110 mm.

Technical specifications:

- Quick pressing due to short pressing cycle
- Crimping force: linear thrust of approx. 32 kN
- Battery capacity: High-power Makita 3.0 Ah Li-Ion battery
- Charging time: 22 min
- Weight incl. battery: without jaw 3.5 kg
- Dimensions tool: 366 x 81 x 317 mm
- Revolving/rotatable: approx. 350° rotating pressing jaw holder



Item no.	Dimension	Qty 2	Qty 1	UOM
<b>1083612</b>		20	1	set

## Uponor S-Press battery UP110

- Akku 18 V / 3,0 Ah, Li-Ion (54 Wh)
- Battery voltage: 18 V
- Battery capacity: 3.0 Ah
- Charging time: With SPI S-PRESS BATTERY CHARGER: 22 min
- Cell technology: Li-Ion
- Weight: 0,6 kg



Item no.	Dimension	OV V	Qty 2	Qty 1	UOM
<b>1083608*</b>		18	10	1	pce

# Uponor Pressing

## Uponor S-Press battery charger

- Quick-charger for 18V Li-Ion batteries, 230 V
- Charging time: 1.3 Ah 15 min, 3.0 Ah 22 min
- Mains supply: 230 V AC
- Voltage range: 18 V
- Weight: 1,0 kg



Item no.	Dimension	OV V	Qty 2	Qty 1	UOM
<b>1083610*</b>	Mini2, UP110	230	72	1	pce

## Uponor S-Press electric tool w/o jaws UP75

Technical specifications:

- Weight: 3.30 kg
- Nominal voltage: 230 V AC / 50 Hz
- Nominal capacity: 200 Watt
- Press power: ca. 32 kN
- Press duration: ca. 7 sec.



Item no.	Dimension	d mm	OV V	Qty 2	Qty 1	UOM
<b>1007082</b>		- 110	230	20	1	pce

## Uponor S-Press spare battery UP75

- for the battery powered pressing machine UP 75
- Not compatible to the Ni-Cd charger unit.



Item no.	Dimension	OV V	Qty 2	Qty 1	UOM
<b>1006949*</b>		12	12	1	pce

## Uponor S-Press spare charger Mini UP75

- or the re-chargeable battery of the pressing machine UP 75 and Mini KSP0



Item no.	Dimension	OV V	Qty 2	Qty 1	UOM
<b>1006950</b>		230	10	1	pce

## Uponor S-Press jaw UPP1

- pressing jaws for Uponor MLC press fittings



Item no.	Dimension	d mm	Qty 2	Qty 1	UOM
<b>1007084</b>	16	16	216	1	pce
<b>1007086</b>	20	20		1	pce
<b>1007087</b>	25	25		1	pce
<b>1007088</b>	32	32		1	pce

# Uponor Pressing

## Uponor S-Press jaw UPP1

- pressing jaws for Uponor MLC press fittings



Item no.	Dimension	d mm	Qty 2	Qty 1	UOM
<b>1015768</b>	40	40	108	1	pce
<b>1015792</b>	50	50	108	1	pce

## Uponor INOX press jaw M

- Press jaw for Uponor INOX stainless steel fittings

- M profile



Item no.	Dimension	Qty 1	UOM
<b>1119189</b>	15	1	pce
<b>1119190</b>	18	1	pce
<b>1119191</b>	22	1	pce
<b>1119192</b>	28	1	pce
<b>1119193</b>	35	1	pce

## Uponor S-Press base unit for chain

- Base unit for the pressing chain to press Uponor MLC press fittings 63 - 110 in conjunction with the pressing tool UP 110, UP 75 and UP 75 EL



Item no.	Dimension	d mm	Qty 1	UOM
<b>1046545</b>	63-110	63-110	1	pce

## Uponor S-Press chain

- pressing chain to be used together with the Base unit to press Uponor MLC press fittings 63 - 110 in conjunction with the pressing tool UP 110, UP 75 and UP 75 EL



Item no.	Dimension	d mm	Qty 2	Qty 1	UOM
<b>1046541</b>	63	63	72	1	pce
<b>1046542</b>	75	75	72	1	pce
<b>1046543*</b>	90	90	72	1	pce
<b>1046544*</b>	110	110	54	1	pce

## Uponor INOX press base unit chain M

- Base unit for the press chain to press Uponor INOX stainless steel fittings 42-54 mm in conjunction with the pressing tool UP 110, UP 75 and UP 75 EL



Item no.	Dimension	Qty 1	UOM
<b>1119196</b>	42-54	1	pce



# Uponor Pressing

## Uponor INOX press chain M

- Press chain for Uponor INOX stainless steel fittings
- M profile



Item no.	Dimension	Qty 1	UOM
1119194	42	1	pce
1119195	54	1	pce

## Uponor S-Press tool Mini2 with KSP0 jaw

- Uponor S-Press tool Mini<sup>2</sup> supplied in carrying case, complete with battery and charger unit and pressing jaws.
- Range of application up to 32 mm.

Technical specifications:

- Very quick pressing thanks to short pressing cycle of 3-4 seconds
- Crimping force: linear thrust of approx. 15 kN
- Battery capacity: High-power Makita 1.3 Ah Li-Ion battery (3.0 Ah optional)
- Charging time: 1.5 Ah 15 min. 3.0 Ah 22 min
- Weight incl. battery: without jaws 1.7 kg
- Dimensions tool: 377 x 75 x 116 mm
- Revolving/rotatable: approx. 350° rotating pressing jaw holder



Item no.	Dimension	Qty 2	Qty 1	UOM
1083586	16/20/25/32	30	1	set

## Uponor S-Press tool Mini2 with KSP0 jaw

- Uponor S-Press tool Mini<sup>2</sup> supplied in carrying case, complete with battery and charger unit and pressing jaws.
- Range of application up to 25 mm.

Technical specifications:

- Very quick pressing thanks to short pressing cycle of 3-4 seconds
- Crimping force: linear thrust of approx. 15 kN
- Battery capacity: High-power Makita 1.3 Ah Li-Ion battery (3.0 Ah optional)
- Charging time: 1.5 Ah 15 min. 3.0 Ah 22 min
- Weight incl. battery: without jaws 1.7 kg
- Dimensions tool: 377 x 75 x 116 mm
- Revolving/rotatable: approx. 350° rotating pressing jaw holder



Item no.	Dimension	Qty 2	Qty 1	UOM
1083594	16/20/25	25	1	set

# Uponor Pressing

## Uponor S-Press tool Mini2 without jaws

- Uponor S-Press tool Mini<sup>2</sup> supplied in carrying case, complete with battery and charger unit.
- Range of application up to 32 mm.

Technical specifications:

- Very quick pressing thanks to short pressing cycle of 3-4 seconds
- Crimping force: linear thrust of approx. 15 kN
- Battery capacity: High-power Makita 1.5 Ah Li-Ion battery (3.0 Ah optional)
- Charging time: 1.5 Ah 15 min. 3.0 Ah 22 min
- Weight incl. battery: without jaws 1.7 kg
- Dimensions tool: 377 x 75 x 116 mm
- Revolving/rotatable: approx. 350° rotating pressing jaw holder



Item no.	Dimension	Qty 1	UOM
<b>1085388</b>		1	pce

## Uponor S-Press tool Mini2

- Uponor SPI S-Press tool Mini<sup>2</sup> without carrying case, without battery and charger unit and without pressing jaws.



Item no.	Dimension	Qty 1	UOM
<b>1087260</b>		1	pce

## Uponor S-Press battery Mini2

- Battery 18 V / 1.5 Ah, Li-Ion (27 Wh)
- Battery voltage: 18 V
- Battery capacity: 1.5 Ah
- Charging time: With SPI S-Press Battery Charger: 15 min
- Cell technology: Li-Ion
- Weight: 0,4 kg



Item no.	Dimension	OV V	Qty 2	Qty 1	UOM
<b>1083605</b>		18	48	1	pce

## Uponor S-Press battery charger

- Quick-charger for 18V Li-Ion batteries, 230 V
- Charging time: 1.3 Ah 15 min,  
3.0 Ah 22 min
- Mains supply: 230 V AC
- Voltage range: 18 V
- Weight: 1,0 kg



Item no.	Dimension	OV V	Qty 2	Qty 1	UOM
<b>1083610*</b>	Mini2, UP110	230	72	1	pce

# Uponor Pressing

## Uponor S-Press battery Mini

- Battery: 9.6V for Uponor battery pressing tool Mini KSP0.



Item no.	Dimension	OV V	Qty 2	Qty 1	UOM
<b>1015703</b>		9,6	120	1	pce

## Uponor S-Press jaw Mini KSP0

- Uponor pressing jaws MLC Mini KSP0



Item no.	Dimension	d mm	Qty 2	Qty 1	UOM
<b>1007091*</b>	16	16	5	1	pce
<b>1007093*</b>	20	20	5	1	pce
<b>1007094*</b>	25	25	5	1	pce
<b>1007095*</b>	32	32	5	1	pce

# Uponor Expanding

## Uponor Q&E manual expansion tool, heads S3,2 S5,0

- Hand expander
- Expander head for PE-Xa pipe 16/20/25
- Tube of lubricant
- Case



Item no.	Dimension	p bar	Qty 1	UOM
<b>1004064</b>	16/20/25	6+10	1	set

## Uponor Q&E expansion tool plier

- Hand expander



Item no.	Dimension	Qty 1	UOM
<b>1004002</b>		1	pce

## Uponor Q&E expansion tool with heads M12

- Electromechanical driving machine, delivered in a plastic case including two 12V Li-Ion rechargeable batteries and one quick charger 220-240V/50-60Hz and lubricant (Mo).
- Metal gearbox and metal housing. Incl. LED working light.
- Instruction manual in the case. Automatic rotation with M12 expanding heads.
- Use for 6 bar pipes in dimensions up to 32 mm.
- Insert for 10 bar pipes in dimensions up to 25 mm.

Technical data:

- Charging voltage: 12 V
- Charge level display: Optical display
- Battery charging time: approx. 0.5 hrs.
- For dimensions: ≤ 32 mm (AK5/6 bar), ≤ 25 mm (AK2/10 bar)



Item no.	Dimension	p bar	stroke mm	Qty 1	UOM
<b>1057166</b>	16/20/25	6bar	6 14	1	set
<b>1057167</b>	16/20/25	10bar	10 14	1	set

# Uponor Expanding

## Uponor Q&E Expansion tool with heads M12/

- Electromechanical driving machine, delivered in a plastic case including two 12V Li-Ion rechargeable batteries and one quick charger 220-240V/50-60Hz and lubricant (Mo).
- Metal gearbox and metal housing. Incl. LED working light.
- Instruction manual in the case. Automatic rotation with M12 / M12 Rapid Seal expanding heads.
- Dim 9,9 and 16 Rapid seal heads
- Heads for 6 bar pipes in dimensions up to 32 mm.
- Heads for 10 bar pipes in dimensions up to 25 mm.

Technical data:

- Charging voltage: 12 V
- Charge level display: Optical display
- Battery charging time: approx. 0.5 hrs.
- For dimensions:  $\leq 32$  mm (AK5/6 bar),  $\leq 25$  mm (AK2/10 bar)



Item no.	Dimension	Qty 1	UOM
<b>1119375</b>	6bar 9,9RS/20	1	set
<b>1119376</b>	16RS/20/25 6bar	1	set
<b>1119379</b>	16RS/20/25 10bar	1	set

## Uponor Q&E Expansion tool M12 Fuel

- Electromechanical driving machine
- Metal gearbox and metal housing. Incl. LED working light.
- Instruction manual in the case. Automatic rotation with M12/M 12 FUEL expanding heads.

Technical data:

- Charging voltage: 12 V
- Charge level display: Optical display
- Battery charging time: approx. 0.5 hrs.
- For dimensions:  $\leq 32$  mm (AK5/6 bar),  $\leq 25$  mm (AK2/10 bar)



Item no.	Dimension	Qty 1	UOM
<b>1121157</b>		1	pce

## Uponor Q&E Expansion head M12/Rapid Seal

- Suitable for Q&E expanding tool M12 / M12 FUEL



Item no.	Dimension	Qty 1	UOM
<b>1119380</b>	9,9x1.1	1	pce

# Uponor Expanding

## Uponor Q&E expansion head M12/M18

- Suitable for Q&E expanding tool M12 / M12 FUEL - M18/M18 FUEL



Item no.	Dimension	d mm	s mm	p bar	stroke mm	Qty 1	UOM
<b>1057184*</b>	14/15x2,5	14/15	2,0/2,5	6+10	14/25	1	pce
<b>1057172</b>	16x1,8/2,0/2,2	16	1,8/2,0/2,2	6+10	14/25	1	pce
<b>1057185</b>	17/18x2,5	17/18	2,0/2,5	6+10	14/25	1	pce
<b>1057173</b>	20x1,9/2,0	20	1,9/2,0	6	14/25	1	pce
<b>1057174</b>	20x2,8	20	2,8	10	14/25	1	pce
<b>1057175</b>	25x2,3	25	2,3	6	14/25	1	pce
<b>1057176</b>	25x3,5	25	3,5	10	14/25	1	pce
<b>1057177</b>	32x2,9	32	2,9	6	14/25	1	pce

## Uponor Q&E Expansion head M12/M18/Rapid Seal

- Suitable for Q&E expander tool M12 / M12 FUEL and M18 / M18 FUEL



Item no.	Dimension	Qty 1	UOM
<b>1119381</b>	16x1,8/2,0/2,2	1	pce
<b>1119382</b>	20x1,9/2,0	1	pce
<b>1119383</b>	20x2,8	1	pce
<b>1119384</b>	25x2,3	1	pce
<b>1119385</b>	25x3,5	1	pce
<b>1119386</b>	32x2,9	1	pce

## Uponor Q&E expansion tool spare battery M12



Item no.	Dimension	Qty 2	Qty 1	UOM
<b>1061185</b>	4Ah	12	1	pce

## Uponor Q&E expansion tool with heads M18 6bar



Item no.	Dimension	p bar	stroke mm	Qty 1	UOM
<b>1063908</b>	16/20/25/32	6	25	1	set

## Uponor Q&E Expansion tool with heads M18 6bar/Fuel



Item no.	Dimension	Qty 1	UOM
<b>1119387</b>	16/20/25/32	1	set

# Uponor Expanding

## Uponor Q&E expansion tool with heads M18 10bar



Item no.	Dimension	p bar	stroke mm	Qty 1	UOM
<b>1063909</b>	16/20/25/H32	10	25	1	set

## Uponor Q&E Expansion tool with heads M18 10bar/Fuel



Item no.	Dimension	Qty 1	UOM
<b>1119389</b>	16/20/25/H32	1	set

## Uponor Q&E expansion head M18 H



Item no.	Dimension	d mm	s mm	p bar	stroke mm	Qty 1	UOM
<b>1057182</b>	32x2,9/4,4	32	2,9/4,4	6+10	25	1	pce
<b>1057183</b>	40x3,7	40	3,7	6	25	1	pce

## Uponor Q&E expansion tool M18 VLD PEX



Item no.	Dimension	stroke mm	Qty 1	UOM
<b>1085099</b>	40-75	56	1	pce

## Uponor Q&E expansion head VLD



Item no.	Dimension	d mm	s mm	p bar	stroke mm	Qty 1	UOM
<b>1085095</b>	40x3,7/5,5	40	3,7/5,5	6+10	56	1	pce
<b>1085096</b>	50x4,6/6,9	50	4,6/6,9	6+10	56	1	pce
<b>1085097</b>	63x5,8/8,6	63	5,8/8,6	6+10	56	1	pce
<b>1085098</b>	75x6,8/10,3	75	6,8/10,3	6+10	56	1	pce

## Uponor Q&E expansion tool battery M18 PEX



Item no.	Dimension	Qty 1	UOM
<b>1085100</b>	5,0Ah	1	pce

# Uponor Expanding

## Uponor Q&E expansion tool charger M12/M18 PEX



Item no.	Dimension	OV V	Qty 1	UOM
<b>1085101</b>	220-240V/50-60Hz	230	1	pce

## Uponor Q&E graphite paste, manual tools



Item no.	Dimension	Weight kg	Qty 1	UOM
<b>1008334</b>	30g	0,03	20	pce

## Uponor Q&E graphite paste



Item no.	Dimension	Weight kg	Qty 1	UOM
<b>1005017</b>	100g	0,10	1	pce



# Uponor Fixing

## Uponor Siccus 14 PS cutter, groove


- thermal cutting tool for EPS
- 230V, 50/60Hz
- with tool to cut grooves for 14mm pipes



Item no.	Dimension	OV V	Qty 2	Qty 1	UOM
<b>1006290</b>	14mm	230V	20	1	pce

## Uponor Tacker stapling tool

- full metal
- lightweight
- for max 125 clips



Item no.	Dimension	Qty 2	Qty 1	UOM
<b>1119039</b>	14-20mm	50	1	pce

## Uponor Multi UFHC roller manual

- or sticking down of insulation sections and edges, takes a roll of tape.



Item no.	Dimension	Qty 2	Qty 1	UOM
<b>1000142</b>		20	1	pce

## Uponor Multi tying tool

- For twisting of the tying wires while fixing the pipe on steel meshes.



Item no.	Dimension	Qty 1	UOM
<b>1034533*</b>		1	pce

# Uponor Others

## Uponor Smart Aqua mounting rack bending tool

- For bending the 2 meter long mounting track.



Item no.	Dimension	Qty 2	Qty 1	UOM
<b>1015424</b>	2m	100	1	pce



# uponor

**Uponor GmbH**

P.O. Box 1641  
97433 Hassfurt  
Germany

**T** +49-(0)9521 690 0  
**F** +49-(0)9521 690 750  
**E** [international@uponor.com](mailto:international@uponor.com)

03/2022



[www.uponor.com](http://www.uponor.com)